


Key Features

- Simple and reliable Power Distribution Units
- Supports 1U or 0U installation (RU-2030-081N)
- Available in three different lengths
- Overload protection
- Power cord retention feature
- Tool-less mounting design



Specifications

	RU-2030-081N	RU-2030-161N	RU-2030-261N
Electrical			
Input Capacity	4992W	4992W	4992W
Input Voltage	208 VAC		
Input Rated Current	UL de-rated 24A (Maximum Current: 30A)		
Input Connection	NEMA L6-30P		
Input Frequency	50Hz to 60Hz		
Output Voltage	Based on input		
Output Current (max)	IEC320-C13 10A IEC320-C19 16A		
Output Outlet	IEC320-C13 (6) IEC320-C19 (2)	IEC320-C13 (14) IEC320-C19 (2)	IEC320-C13 (24) IEC320-C19 (2)
	Output Current per Branch \leq 16A		
Output Protection	20A CB per Branch		
Physical			
Dimensions (H x W x D)	1.69" x 15.7" x 3.35" (43 mm x 400 mm x 85 mm)	1.69" x 23.6" x 3.35" (43mm x 600 mm x 85 mm)	1.75" x 35.4" x 3.35" (44.4 mm x 900 mm x 85 mm)
Weight	4.98 lbs (2.26 kg)	5.62 lbs (2.55 kg)	7.38 lbs (3.35 kg)
Cord Length	9.84' (3 m)		
Environment			
Temperature	Operating: 0°C to 50°C Storage: -25°C to 65°C		
Humidity	0% to 95% relative (non-condensing)		
Altitude	Operating: 0 m to 2000 m Storage: 0 m to 15000 m		

Lite-On  Solutions USA
 3001 Summit Avenue, Suite 400, Plano, TX 75074
 +1 (469) 331-9838
www.liteon-pss.com
 email: pss.sales@liteon.com


Lite-On  Taiwan
 No. 90, Chien 1 Rd., Chung Ho Dist, New Taipei City 23585
 +886 -2-2226181 ext 5026
www.liteon-pss.com
 email: pss.sales@liteon.com

Specifications

General			
Regulatory Approvals	UL60950-1		
Mounting Hardware	Mounting Brackets (2) Mounting Bracket Screws (4) External PE Screws (1)	External PE Screws (1)	Donut (2) Donut Screws (2) External PE Screws (1)
Warranty	2 years		

Mechanical


RU-2030-081N



Lite-On PCloud Infrastructure Power Solutions USA
 3001 Summit Avenue, Suite 400, Plano, TX 75074
 +1 (469) 331-9838
www.liteon-pss.com
 email: pss.sales@liteon.com

Lite-On PCloud Infrastructure Power Solutions Taiwan
 No. 90, Chien 1 Rd., Chung Ho Dist, New Taipei City 23585
 +886 -2-2226181 ext 5026
www.liteon-pss.com
 email: pss.sales@liteon.com


RU-2030-161N



Lite-On Cloud Infrastructure Power Solutions USA
 3001 Summit Avenue, Suite 400, Plano, TX 75074
 +1 (469) 331-9838
www.liteon-pss.com
 email: pss.sales@liteon.com

Lite-On PCloud Infrastructure Power Solutions Taiwan
 No. 90, Chien 1 Rd., Chung Ho Dist, New Taipei City 23585
 +886 -2-2226181 ext 5026
www.liteon-pss.com
 email: pss.sales@liteon.com

RU-2030-261N




Lite-On Cloud Infrastructure Power Solutions USA
 3001 Summit Avenue, Suite 400, Plano, TX 75074
 +1 (469) 331-9838
www.liteon-pss.com
 email: pss.sales@liteon.com


Lite-On Cloud Infrastructure Power Solutions Taiwan
 No. 90, Chien 1 Rd., Chung Ho Dist, New Taipei City 23585
 +886 -2-2226181 ext 5026
www.liteon-pss.com
 email: pss.sales@liteon.com

Front Panel


RU-2030-081N



RU-2030-161N



RU-2030-261N





DATASHEET

RU-2030-081N

RU-2030-161N

RU-2030-261N

Basic Power Distribution Units



Innovative Power Management Solutions for Critical Infrastructure

Lite-On Cloud Infrastructure Power Solutions USA
3001 Summit Avenue, Suite 400, Plano, TX 75074
+1 (469) 331-9838
www.liteon-pss.com
email: pss.sales@liteon.com

Lite-On Cloud Infrastructure Power Solutions Taiwan
No. 90, Chien 1 Rd., Chung Ho Dist, New Taipei City 23585
+886 -2-2226181 ext 5026
www.liteon-pss.com
email: pss.sales@liteon.com